

## NAME: CR-5



### ACRYLIC EMULSION FOR DARK HARD FLOORS

Its high concentration of active ingredients makes it suitable for all kind of surfaces such as marble, terrazzo, granite, ceramics, slate, wood, plastic, etc. Always providing an optimal level of brilliant finish. It can be applied by using both, standard and high-speed polishing machines.

### INSTRUCTIONS OF USE

Shake the container strongly before using. Do not dilute or mix with other products. Pour or spray a little quantity of CR-5 (approx. 20 ml. x sq. meter) On a surface of about 2 m<sup>2</sup>, spread the product uniformly with a shining machine fitted with a steel wool or a white fiber pad and buff until the product gets completely dry. Repeat the process until covering all the surface to be treated. This product is also suitable for use with high-speed machines.

### CLP Regulation (EC) nº 1272/2008:

#### Hazard indications::

Non-applicable

#### Cautionary advice::

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P103: Read label before use

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

### PRIMEROS AUXILIOS:

#### Description of first aid measures:

Consult a doctor in case of discomfort with this Security Data Sheet.

#### By inhalation:

In case of symptoms, move the person affected into fresh air.

#### By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of modifications on the skin (stinging, redness, rashes, blisters,...), seek

*The information contained in this security data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this security data sheet only refers to this product, which should not be used for needs other than those specified.*

medical advice with this Security Data Sheet

**By eye contact**

Rinse with water until the product has been eliminated. In case of problems, consult a doctor with the MSDS of this product.

**By consumption:**

In case of consumption in large quantities, it is recommended to seek medical assistance.

**STORAGE**

**Precautions for safe handling:**

**A.- Precautions for safe manipulation**

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

**B.- Technical recommendations for the prevention of fires and explosions**

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products.

**C.- Technical recommendations to prevent ergonomic and toxicological risks**

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

**D.- Technical recommendations to prevent environmental risks**

It is recommended to have absorbent material available at close proximity to the product

**Technical measures for storage**

**Max. Time:** 12 months

**T<sup>a</sup> min:** 5 °C    **T<sup>a</sup> max:** 30 °C

**General conditions for storage:** Avoid sources of heat, radiation, static electricity and contact with food

**PROPERTIES**

**Appearance:**

Physical state at 20 °C: Liquid

Appearance:: Fluid

Color: NEGRO

Odor: Characteristic

**Volatility:**

Boiling point at atmospheric pressure: 100 °C

Vapour pressure at 20 °C: 2350 Pa

Vapour pressure at 20 °C: 12381 Pa (12 kPa)

Evaporation rate at 20 °C: Non-applicable \*

**Product description:**

Density at 20 °C: 1031 kg/m<sup>3</sup>

Relative density at 20 °C: 1,031

Dynamic viscosity at 20 a 20 °C: 1,54 cP

Kinematic viscosity 20 °C: 1,49 cSt

Kinematic viscosity at 40 °C: Non-applicable \*

Concentration: Non-applicable \*

pH: Non-applicable \*

Vapour density at 20 °C: Non-applicable \*

Partition coefficient n-octanol/water 20 °C: Non-applicable \*

Solubilidad en agua a 20 °C: Non-applicable \*

Propiedad de solubilidad: Non-applicable \*

Temperatura de descomposición: Non-applicable \*

**Flammability::**

Flash Point: Non Flammable (>60 °C)

Autoignition temperature: Non-applicable \*

Lower flammability limit:: Non-applicable \*

Upper flammability limit:: Non-applicable \*

\* Not relevant due to the nature of the product, not providing information property of its hazards.

*The information contained in this security data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this security data sheet only refers to this product, which should not be used for needs other than those specified.*